

## **USB Drive Guard – Group Policy Object File Instructions**

Below is a list of files and the location where they need to be installed if you plan to create a group policy for the USB Drive Guard ejection client.

### **Windows – XP, 2000, 2003**

First create a folder called “USB” in the in “C:\Documents and Settings\All Users\Application Data” folder so it looks like this “C:\Documents and Settings\All Users\Application Data\USB”

Inside this folder place these two files:

- RD.exe
- edrag.ini – This file will have your database path on your network – See install instructions

Then place the file garde.exe in the “C:\Documents and Settings\All Users\Start Menu\Programs\Startup” folder. This will allow the application to autorun each time the pc starts.

Also shell out this file VB\_DCOM\_MDAC\_JET\_AutoSetup.exe with a /VERYSILENT at the end so the user doesn’t have to click anything. Example would be:

“c:\VB\_DCOM\_MDAC\_JET\_AutoSetup.exe /VERYSILENT”

---

### **Windows – Vista, 7**

First create a folder called “USB” in the in “C:\ProgramData” folder so it looks like this “C:\ProgramData\USB”. Inside this folder place the file RD.exe.

Inside “C:\Users\Public” place the file “edrag.ini” – This file will have your database path on your network – See install instructions.

Then place the file garde.exe in the “c:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup” folder. This will allow the application to autorun each time the pc starts.

Also shell out this file VB\_DCOM\_MDAC\_JET\_AutoSetup.exe with a /VERYSILENT at the end so the user doesn’t have to click anything. Example would be:

“c:\VB\_DCOM\_MDAC\_JET\_AutoSetup.exe /VERYSILENT”

---

Windows 2008 Server – We don’t have a copy of this version of Windows so we do not know the folder structure. If you do have 2008 please email us at [support@usbdriveguard.com](mailto:support@usbdriveguard.com) and let us know.